



Superior Tool Service, Inc.

3939 W. Harry St., Wichita KS 67213

(316) 945-8488 (800)428-TOOL (-8665)

www.superiortoolservice.com

Decimal

Solid Carbide Drills for drilling Composite

EDP

0.0465	CARBIDE #56 Jobber length TWIST DRILL w/ Composite tip	220-0465
0.0469	CARBIDE 3/64 Jobber length TWIST DRILL w/ Composite tip	220-0469
0.0520	CARBIDE #55 Jobber length TWIST DRILL w/ Composite tip	220-0520
0.0550	CARBIDE #54 Jobber length TWIST DRILL w/ Composite tip	220-0550
0.0591	CARBIDE 1.5MM Jobber length TWIST DRILL w/ Composite tip	220-0591
0.0595	CARBIDE #53 Jobber length TWIST DRILL w/ Composite tip	220-0595
0.0625	CARBIDE 1/16 Jobber length TWIST DRILL w/ Composite tip	220-0625
0.0635	CARBIDE #52 Jobber length TWIST DRILL w/ Composite tip	220-0635
0.0670	CARBIDE #51 Jobber length TWIST DRILL w/ Composite tip	220-0670
0.0700	CARBIDE #50 Jobber length TWIST DRILL w/ Composite tip	220-0700
0.0730	CARBIDE #49 Jobber length TWIST DRILL w/ Composite tip	220-0730
0.0760	CARBIDE #48 Jobber length TWIST DRILL w/ Composite tip	220-0760
0.0781	CARBIDE 5/64 Jobber length TWIST DRILL w/ Composite tip	220-0781
0.0785	CARBIDE #47 Jobber length TWIST DRILL w/ Composite tip	220-0785
0.0787	CARBIDE 2.0MM Jobber length TWIST DRILL w/ Composite tip	220-0787
0.0810	CARBIDE #46 Jobber length TWIST DRILL w/ Composite tip	220-0810
0.0820	CARBIDE #45 Jobber length TWIST DRILL w/ Composite tip	220-0820
0.0860	CARBIDE #44 Jobber length TWIST DRILL w/ Composite tip	220-0860
0.0890	CARBIDE #43 Jobber length TWIST DRILL w/ Composite tip	220-0890
0.0935	CARBIDE #42 Jobber length TWIST DRILL w/ Composite tip	220-0935
0.0938	CARBIDE 3/32 Jobber length TWIST DRILL w/ Composite tip	220-0938
0.0960	CARBIDE #41 Jobber length TWIST DRILL w/ Composite tip	220-0960
0.0980	CARBIDE #40 Jobber length TWIST DRILL w/ Composite tip	220-0980
0.0984	CARBIDE 2.5MM Jobber length TWIST DRILL w/ Composite tip	220-0984
0.0995	CARBIDE #39 Jobber length TWIST DRILL w/ Composite tip	220-0995
0.1015	CARBIDE #38 Jobber length TWIST DRILL w/ Composite tip	220-1015
0.1040	CARBIDE #37 Jobber length TWIST DRILL w/ Composite tip	220-1040
0.1065	CARBIDE #36 Jobber length TWIST DRILL w/ Composite tip	220-1065
0.1094	CARBIDE 7/64 Jobber length TWIST DRILL w/ Composite tip	220-1094
0.1100	CARBIDE #35 Jobber length TWIST DRILL w/ Composite tip	220-1100
0.1110	CARBIDE #34 Jobber length TWIST DRILL w/ Composite tip	220-1110
0.1130	CARBIDE #33 Jobber length TWIST DRILL w/ Composite tip	220-1130
0.1160	CARBIDE #32 Jobber length TWIST DRILL w/ Composite tip	220-1160
0.1181	CARBIDE 3.0MM Jobber length TWIST DRILL w/ Composite tip	220-1181
0.1200	CARBIDE #31 Jobber length TWIST DRILL w/ Composite tip	220-1200
0.1250	CARBIDE 1/8 Jobber length TWIST DRILL w/ Composite tip	220-1250
0.1285	CARBIDE #30 Jobber length TWIST DRILL w/ Composite tip	220-1285
0.1360	CARBIDE #29 Jobber length TWIST DRILL w/ Composite tip	220-1360
0.1378	CARBIDE 3.5MM Jobber length TWIST DRILL w/ Composite tip	220-1378

0.1405	CARBIDE #28 Jobber length TWIST DRILL w/ Composite tip	220-1405
0.1406	CARBIDE 9/64 Jobber length TWIST DRILL w/ Composite tip	220-1406
0.1440	CARBIDE #27 Jobber length TWIST DRILL w/ Composite tip	220-1440
0.1520	CARBIDE #24 Jobber length TWIST DRILL w/ Composite tip	220-1520
0.1540	CARBIDE #23 Jobber length TWIST DRILL w/ Composite tip	220-1540
0.1562	CARBIDE 5/32 Jobber length TWIST DRILL w/ Composite tip	220-1562
0.1570	CARBIDE #22 Jobber length TWIST DRILL w/ Composite tip	220-1570
0.1575	CARBIDE 4.0MM Jobber length TWIST DRILL w/ Composite tip	220-1575
0.1590	CARBIDE #21 Jobber length TWIST DRILL w/ Composite tip	220-1590
0.1610	CARBIDE #20 Jobber length TWIST DRILL w/ Composite tip	220-1610
0.1660	CARBIDE #19 Jobber length TWIST DRILL w/ Composite tip	220-1660
0.1695	CARBIDE #18 Jobber length TWIST DRILL w/ Composite tip	220-1695
0.1719	CARBIDE 11/64 Jobber length TWIST DRILL w/ Composite tip	220-1719
0.1730	CARBIDE #17 Jobber length TWIST DRILL w/ Composite tip	220-1730
0.1770	CARBIDE #16 Jobber length TWIST DRILL w/ Composite tip	220-1770
0.1772	CARBIDE 4.5MM Jobber length TWIST DRILL w/ Composite tip	220-1772
0.1800	CARBIDE #15 Jobber length TWIST DRILL w/ Composite tip	220-1800
0.1820	CARBIDE #14 Jobber length TWIST DRILL w/ Composite tip	220-1820
0.1850	CARBIDE #13 Jobber length TWIST DRILL w/ Composite tip	220-1850
0.1875	CARBIDE 3/16 Jobber length TWIST DRILL w/ Composite tip	220-1875
0.1890	CARBIDE #12 Jobber length TWIST DRILL w/ Composite tip	220-1890
0.1910	CARBIDE #11 Jobber length TWIST DRILL w/ Composite tip	220-1910
0.1935	CARBIDE #10 Jobber length TWIST DRILL w/ Composite tip	220-1935
0.1960	CARBIDE #9 Jobber length TWIST DRILL w/ Composite tip	220-1960
0.1969	CARBIDE 5.0MM Jobber length TWIST DRILL w/ Composite tip	220-1968
0.1990	CARBIDE #8 Jobber length TWIST DRILL w/ Composite tip	220-1990
0.2010	CARBIDE #7 Jobber length TWIST DRILL w/ Composite tip	220-2010
0.2031	CARBIDE 13/64 Jobber length TWIST DRILL w/ Composite tip	220-2031
0.2040	CARBIDE #6 Jobber length TWIST DRILL w/ Composite tip	220-2040
0.2055	CARBIDE #5 Jobber length TWIST DRILL w/ Composite tip	220-2055
0.2090	CARBIDE #4 Jobber length TWIST DRILL w/ Composite tip	220-2090
0.2130	CARBIDE #3 Jobber length TWIST DRILL w/ Composite tip	220-2130
0.2165	CARBIDE 5.5MM Jobber length TWIST DRILL w/ Composite tip	220-2165
0.2188	CARBIDE 7/32 Jobber length TWIST DRILL w/ Composite tip	220-2188
0.2210	CARBIDE #2 Jobber length TWIST DRILL w/ Composite tip	220-2210
0.2280	CARBIDE #1 Jobber length TWIST DRILL w/ Composite tip	220-2280
0.2340	CARBIDE Ltr A Jobber length TWIST DRILL w/ Composite tip	220-2340
0.2344	CARBIDE 15/64 Jobber length TWIST DRILL w/ Composite tip	220-2344
0.2362	CARBIDE 6.0MM Jobber length TWIST DRILL w/ Composite tip	220-2362
0.2380	CARBIDE Ltr B Jobber length TWIST DRILL w/ Composite tip	220-2380
0.2420	CARBIDE Ltr C Jobber length TWIST DRILL w/ Composite tip	220-2420
0.2460	CARBIDE Ltr D Jobber length TWIST DRILL w/ Composite tip	220-2460
0.2500	CARBIDE 1/4 (Ltr E) Jobber length TWIST DRILL w/ Composite tip	220-2500
0.2559	CARBIDE 6.5MM Jobber length TWIST DRILL w/ Composite tip	220-2559

0.2570	CARBIDE Ltr F Jobber length TWIST DRILL w/ Composite tip	220-2570
0.2610	CARBIDE Ltr G Jobber length TWIST DRILL w/ Composite tip	220-2610
0.2656	CARBIDE 17/64 Jobber length TWIST DRILL w/ Composite tip	220-2656
0.2660	CARBIDE Ltr H Jobber length TWIST DRILL w/ Composite tip	220-2660
0.2720	CARBIDE Ltr I Jobber length TWIST DRILL w/ Composite tip	220-2720
0.2756	CARBIDE 7.0MM Jobber length TWIST DRILL w/ Composite tip	220-2756
0.2770	CARBIDE Ltr J Jobber length TWIST DRILL w/ Composite tip	220-2770
0.2810	CARBIDE Ltr K Jobber length TWIST DRILL w/ Composite tip	220-2810
0.2812	CARBIDE 9/32 Jobber length TWIST DRILL w/ Composite tip	220-2812
0.2900	CARBIDE Ltr L Jobber length TWIST DRILL w/ Composite tip	220-2900
0.2950	CARBIDE Ltr M Jobber length TWIST DRILL w/ Composite tip	220-2950
0.2953	CARBIDE 7.5MM Jobber length TWIST DRILL w/ Composite tip	220-2953
0.2969	CARBIDE 19/64 Jobber length TWIST DRILL w/ Composite tip	220-2969
0.3020	CARBIDE Ltr N Jobber length TWIST DRILL w/ Composite tip	220-3020
0.3125	CARBIDE 5/16 Jobber length TWIST DRILL w/ Composite tip	220-3125
0.3150	CARBIDE 8.0MM Jobber length TWIST DRILL w/ Composite tip	220-3150
0.3160	CARBIDE Ltr O Jobber length TWIST DRILL w/ Composite tip	220-3160
0.3230	CARBIDE Ltr P Jobber length TWIST DRILL w/ Composite tip	220-3230
0.3281	CARBIDE 21/64 Jobber length TWIST DRILL w/ Composite tip	220-3281
0.3320	CARBIDE Ltr Q Jobber length TWIST DRILL w/ Composite tip	220-3320
0.3346	CARBIDE 8.5MM Jobber length TWIST DRILL w/ Composite tip	220-3346
0.3390	CARBIDE Ltr R Jobber length TWIST DRILL w/ Composite tip	220-3390
0.3438	CARBIDE 11/32 Jobber length TWIST DRILL w/ Composite tip	220-3438
0.3480	CARBIDE Ltr S Jobber length TWIST DRILL w/ Composite tip	220-3480
0.3543	CARBIDE 9.0MM Jobber length TWIST DRILL w/ Composite tip	220-3543
0.3580	CARBIDE Ltr T Jobber length TWIST DRILL w/ Composite tip	220-3580
0.3594	CARBIDE 23/64 Jobber length TWIST DRILL w/ Composite tip	220-3594
0.3680	CARBIDE Ltr U Jobber length TWIST DRILL w/ Composite tip	220-3680
0.3740	CARBIDE 9.5MM Jobber length TWIST DRILL w/ Composite tip	220-3740
0.3750	CARBIDE 3/8 Jobber length TWIST DRILL w/ Composite tip	220-3750
0.3770	CARBIDE Ltr V Jobber length TWIST DRILL w/ Composite tip	220-3770
0.3860	CARBIDE Ltr W Jobber length TWIST DRILL w/ Composite tip	220-3860
0.3906	CARBIDE 25/64 Jobber length TWIST DRILL w/ Composite tip	220-3906
0.3937	CARBIDE 10.0MM Jobber length TWIST DRILL w/ Composite tip	220-3937
0.3970	CARBIDE Ltr X Jobber length TWIST DRILL w/ Composite tip	220-3970
0.4040	CARBIDE Ltr Y Jobber length TWIST DRILL w/ Composite tip	220-4040
0.4062	CARBIDE 13/32 Jobber length TWIST DRILL w/ Composite tip	220-4062
0.4120	CARBIDE Ltr Z Jobber length TWIST DRILL w/ Composite tip	220-4130
0.4134	CARBIDE 10.5MM Jobber length TWIST DRILL w/ Composite tip	220-4134
0.4219	CARBIDE 27/64 Jobber length TWIST DRILL w/ Composite tip	220-4219
0.4331	CARBIDE 11.0MM Jobber length TWIST DRILL w/ Composite tip	220-4331
0.4375	CARBIDE 7/16 Jobber length TWIST DRILL w/ Composite tip	220-4375
0.4528	CARBIDE 11.5MM Jobber length TWIST DRILL w/ Composite tip	220-4528
0.4531	CARBIDE 29/64 Jobber length TWIST DRILL w/ Composite tip	220-4531
0.4688	CARBIDE 15/32 Jobber length TWIST DRILL w/ Composite tip	220-4688

0.4724	CARBIDE 12.0MM Jobber length TWIST DRILL w/ Composite tip	220-4724
0.4844	CARBIDE 31/64 Jobber length TWIST DRILL w/ Composite tip	220-4844
0.5000	CARBIDE 1/2 Jobber length TWIST DRILL w/ Composite tip	220-5000

These drills are also available in 6" or 12" OAL. Custom diameters and lengths are also available with only a short lead time.